



HYDRONIC MODEL AVAILABLE
Please see page 86

ELECTRIC DÉCOR


The electric DÉCOR is a stylish, contemporary alternative to a traditional radiator. An electric version of our popular hydronic model, the distinctive flat tube design will enhance the look of any room. It is suitable for a wide range of uses, both domestic and commercial. It is also perfect for projects that are off-gas or have no central heating pipes installed.



ELECTRIC DÉCOR HORIZONTAL

ELECTRIC DÉCOR VERTICAL

Dimensions



NB: All measurements are nominal.

General specification

- CERTIFICATION**
Produced under a quality management system - ISO 9001:2015, environmental management system - ISO 14001:2015 and Occupational health and safety management system - OHSAS 18001. Carries the CE mark and conforms to the Low Voltage Directive 2014/35/EU and the EMC Directive 2014/30/EU.
- ACCESSORIES**
TOUCH4 - 4 zone touch screen programmer. Please see page 250.
- SEALED ELECTRIC**
- IP RATING**
IP44.
- DELIVERY**
2 - 5 working days.
- WASTE DISPOSAL**
According to The WEEE Directive (2012/19/EU). Please see page 257.
- ECO DESIGN DIRECTIVE**
Conforms to the standards (EU) 2015/1188.
- GUARANTEE**
2 year guarantee from date of purchase against manufacturing defects.
- COLOUR**
Finished in white (RAL 9016).
- MATERIAL**
Manufactured from 1.25mm steel. Horizontal filled with a glycol mix, part water/ part anti-freeze. Vertical filled with mineral oil.


For more general information, please see page 256.



Accessories

Product	Order Code
Remote Control Thermostat (supplied)	ELECTHERMOS
TOUCH4* - 4 Zone, Touch Screen Programmer (hard wired)	TOUCH4 - refer to page 250

*Please refer to our website for wiring diagram.



Technical information & heat outputs

ELECTRIC DÉCOR vertical

Order Code	Nominal Height (H) (mm)	Nominal Length (L) (mm)	Weight (kg)	Rated Watts
E6V10180	1835	455	30.36	1000
E9V10180	1835	680	41.86	1500

ELECTRIC DÉCOR horizontal

E6V20060	600	485	17.94	500
E8V20060	600	635	23.00	750
E11V20060	600	860	30.82	1000
E13V20060	600	1010	36.80	1250