



MYSON FLOORTEC underfloor heating offer a full range of quality controls to ensure that you get the most out of our underfloor heating systems. Our controls are designed by our heating experts to meet the requirements of our customers and will perfectly complement our systems.

Controls are an essential part of every underfloor heating system. Each system requires at least one manifold, control centre, wiring centre and thermostat. MYSON FLOORTEC supply quality manifolds, isolating and blending valves and an A-rated pump. MYSON FLOORTEC also supplies wiring centres as well as a range of thermostats from basic digital thermostats to WiFi enabled touch controls.



PREMIUM MANIFOLDS

The MYSON FLOORTEC underfloor heating manifold is the central point to most underfloor heating systems. The manifold is responsible for distributing mixed water provided by the manifold control centre to each heating circuit.



带 赤 赤 赤

1110


-

A

-

MYSON have introduced their premium manifold as part of the complete bespoke system that is more compact, easier to use, and comes complete with all fittings and fixtures.

It is neat and compact in size and has a number of features and benefits that make it one of the leading manifolds on the market.






Premium manifolds

	Description
2 port Premium Manifold	
3 port Premium Manifold	
4 port Premium Manifold	
5 port Premium Manifold	
6 port Premium Manifold	
7 port Premium Manifold	
8 port Premium Manifold	
9 port Premium Manifold	
10 port Premium Manifold	
11 port Premium Manifold	
12 port Premium Manifold	
Pipe Bend Support 14-17mm	
Pipe Bend Support 18-23mm	
¾" Blanking Cap	
aptors	
Manifold Coupling for 17 x 2mm Pex	
Straight Coupling for 17 x 2mm Pex	
Straight Coupling for 14 x 2mm Pex	
Manifold Coupling for 20 x 2mm Pex	
Straight Coupling for 20 x 2mm Pex	
Manifold Coupling for 16 x 2mm Multi-layer	
Straight Coupling for 16 x 2mm Multi-layer	
15mm Copper Adaptor	
14mm x ½" Male Iron Adaptor	
17mm x ½" Male Iron Adaptor	
Coupling Central Core	
Manifold Coupling for 12 x 2mm Pex	
Straight Coupling for 12mm x 1/2" Male Iron Adapter	ſ
1" Straight Swivel Adaptor	
Standard Connections	
Eccentric Connections	



Order Code
99302PR
99303PR
99304PR
99305PR
99306PR
99307PR
99308PR
99309PR
99310PR
99311PR
99312PR
50070
50071
53084


50114
50010
50020
50113
50011
53033
53032
40213
50115
50116
50009
50118
50013
99329PR
50830
50827



The pump pack is compatible with all MYSON manifolds, including the leading premium manifolds and is easily installed.

The fully assembled premium pump pack has all the advantages of before, including a high efficiency circulating pump which now comes assembled with a thermostatic mixing valve complete with integral non-return valve and flow regulating valve ideal for balancing large systems.





DELIVERY 2 - 5 working days.

Description 'A' Rated Pump Pack 'A' Rated Single Zone Control Unit Y-Splitters (Pair) 22mm Mixing Valve



99305PR

- 4 Non-return valve

mixing valve

Order Code
50825PR
50810A
53036VN
52014

WIRING CENTRES & THERMOSTATS

Wiring centres

MYSON FLOORTEC wiring centres come in two different types. A low voltage version for a 24V power supply and a 230V version for a 230V power supply. The wiring centre controls the thermostats and actuators.

Wiring centres & accessories

Description	Order Code
230V Actuator Head	50442
24V Actuator Head	50443
230V Wiring Centre - 10-Way	50437
24V Wiring Centre	50599
230V Wiring Centre - 4-Way	50597
240V Wiring Centre - 5-Way	50436

5

00000-00000000

50437

Dial Thermostats

The MYSON UNISENZA dial thermostat is simple to use, wall mounted and allows for the control of underfloor heating and cooling with a single device. Modern and discrete design with a white matt finish. Available in 24V or 230V.



Digital Thermostats

The MYSON UNISENZA digital room thermostat can be simply set for ideal temperature control using the intuitive user display. External sensor can be used for remote air, floor or limit functions.



Programmable Thermostats

The MYSON TOUCH range of programmable thermostats allow you to set different room temperatures for the morning, day, evening and night time. The range includes the MYSON TOUCH and MYSON TOUCH RS

with remote sensor, primarily designed for underfloor

systems. Suitable with a 230V wiring centre.



50516

(G) DELIVERY 2 - 5 working days.

Thermostats & programmers

	Description
UNISENZA Dial Thermostat - 230V	
UNISENZA Dial Thermostat - 24V	
UNISENZA Digital Thermostat - 230V	
UNISENZA Digital Thermostat - 24V	
Touch Screen Thermostat - 230V	
TOUCH c/w Remote Sensor	
TOUCH2 WiFi Thermostat	
TOUCH2 WiFi Thermostat and Hub	
230V UNISENZA WiFi Thermostat	
24V UNISENZA WiFi Thermostat	
MPRT RF Programmable Thermostat	
MEP1c Single Channel Programmer	

WiFi Thermostats

MYSON programmable WiFi thermostats will always allow you to control your heating from anywhere in the world. Easy to set up and configure on your smart phone or tablet via the MYSON Apps. 50520 suitable with 230V wiring centre only.



RF Thermostat

The MYSON MPRT is an easy to use programmable radio frequency room thermostat. It utilises Smart Start technology which could save up to 10% on wiring centre.

Programmer

The MYSON MEP1c is a single channel time switch for use with combi boilers, or as a domestic hot water control when using a programmable thermostat for the central heating circuit.



50511

Order Code
50430
50431
50432
50433
50516
50517
50520
50521
50434
50435
50511
50808